

Image Herbicides Weed Killer For Southern Lawns Ready-To-Spray

Safety Data Sheet Issue date: 04/14/2017

Revision date: 03/25/2024

Supersedes: 12/09/2020

Version: 1.3

Issue d	ate: 04/14/2017	Revision date: 03/25/2024	Supersedes: 12/09/2020	Version: 1.3
SECTION 1: Identification				
1.1. Identification				
Product form	: Mixture			
Name	: Image Herbi	cides Weed Killer For Southern	Lawns Ready-To-Spray	
Synonyms	100551433,	100551434, UPC #: 8-13576-00	0425-5 , EPA Reg. No.: 2217-	1010-90098
I.2. Recommended use and restrictions	on use			
Recommended use	: Herbicide.			
Restrictions on use		ct with eyes, skin or clothing. Aven dren and domestic animals.	oid inhalation of vapors or fun	nes. Keep out of
1.3. Supplier				
Central Garden & Pet, Garden Division 1000 Parkwood Circle, Suite 700 Atlanta, GA 30339 - United States				
gardendivision@central.com				
www.imageforweeds.com				
I.4. Emergency telephone number				
Emergency number		761 300 - CHEMTREC 887 - CHEMTREC - Outside No	orth America - Collect Calls Ac	ccepted
SECTION 2: Hazard(s) identification				
2.1. Classification of the substance or n	nixture			
GHS US classification				
Acute toxicity (inhalation) Category 4	Harn	nful if inhaled		
Serious eye damage/eye irritation Category 2A Skin sensitization, Category 1		ses serious eye irritation cause an allergic skin reaction		
2.2. GHS Label elements, including pred	autionary statem	ients		
GHS US labeling				
Hazard pictograms (GHS US)	GHS07	>		
Signal word (GHS US)	: Warning			
Hazard statements (GHS US)	: May cause a	an allergic skin reaction ous eye irritation haled		
Precautionary statements (GHS US)	Wash hands Use only out Contaminate Wear protec IF ON SKIN: If inhaled: Re IF IN EYES:	ing fumes, mist, vapors, spray. , forearms and face thoroughly doors or in a well-ventilated are ed work clothing must not be allo tive gloves/protective clothing/e Wash with plenty of water. emove person to fresh air and k Rinse cautiously with water for do. Continue rinsing.	a. owed out of the workplace. ye protection/face protection. eep comfortable for breathing	

Image Herbicides Weed Killer For Southern Lawns Ready-To-Spray Safety Data Sheet

Othern hermanic such the state of the sectors of the	classification		a Damilatian (00
Other hazards which do not result in classification	: This product is toxic to fish and aquatic CFR 1910.1200 - Hazard Communicati		
.4. Unknown acute toxicity (GHS US) lot applicable			
ECTION 3: Composition/Information	on ingredients		
.1. Substances	ron ingredients		
lot applicable			
3.2. Mixtures			
			0/
Name Penoxsulam		Product identifier	% 0.14
Sulfentrazone		(CAS-No.) 219714-96-2 (CAS-No.) 122836-35-5	0.14
Dimethylamine salt of (+)-(R)-2-(2-methyl-4-chlorophe	enoxy) propionic acid	(CAS-No.) 2008-39-1	1.46
Dimethylamine salt of dicamba (3,6-dichloro-o-anisic		(CAS-No.) 2000-55-1 (CAS-No.) 2300-66-5	0.41
Non-hazardous and/or does not meet criteria for class		(CAS-No.) N/A	Balance
			Balance
SECTION 4: First-aid measures			
I.1. Description of first aid measures			
First-aid measures general	: Call a poison center/doctor/physician if	you feel unwell.	
First-aid measures after inhalation	: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.		
First-aid measures after skin contact	 IF ON SKIN: Wash with plenty of soap off immediately all contaminated clothin advice/attention. 		
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with wate and easy to do. Continue rinsing. If eye		
First-aid measures after ingestion	: IF SWALLOWED: Call a POISON CEN Do NOT induce vomiting unless directe		el unwell. Rinse mouth
4.2. Most important symptoms and effect	• /		
Symptoms/effects after inhalation	: Harmful if inhaled.		
Symptoms/effects after skin contact	: May cause an allergic skin reaction in t acid.	hose with a sensitivity to 2,4-dichl	orophenoxy acetic
Symptoms/effects after eye contact	: Causes serious eye irritation.		
4.3. Immediate medical attention and spe	cial treatment, if necessary		
Freat symptomatically.			
SECTION 5: Fire-fighting measures			
5.1. Suitable (and unsuitable) extinguishi	ng media		
Suitable extinguishing media	: Use extinguishing agent suitable for su	rrounding fire.	
Unsuitable extinguishing media	: Avoid heavy hose streams.		
5.2. Specific hazards arising from the che			
Reactivity	: Non-reactive under normal handling an	d storage conditions.	
5.3. Special protective equipment and pre	· ·		
Protection during firefighting	: Do not attempt to take action without su apparatus. Complete protective clothing		-contained breathing
SECTION 6: Accidental release meas	ures		
6.1. Personal precautions, protective equ	ipment and emergency procedures		
6.1.1. For non-emergency personnel			
Emergency procedures	: Ventilate spillage area. No open flames mist, vapors, spray.	s, no sparks, and no smoking. Avo	oid breathing fumes,
6.1.2. For emergency responders		uitable protective equipment. For	further information
6.1.2. For emergency responders Protective equipment	: Do not attempt to take action without su refer to section 8: Exposure controls/pe		
U U U		ersonal protection. v upwind. Stop leak if safe to do se	

Image Herbieldee Weed Killer For Southern Lawns Peady-To-Spray

6.2. Environmental preca	utions	
Avoid release to the environmen	ıt.	
5.3. Methods and materia	al for containment and cleaning up	
Methods for cleaning up	: Absorb spills with an inert material, cl container for disposal. Use appropriat	ay granules or other inert absorbent material and put in ie PPE.
SECTION 7: Handling ar	nd storage	
7.1. Precautions for safe	handling	
Precautions for safe handling	breathing dust/fume/gas/mist/vapors/	
Hygiene measures	: Do not eat, drink or smoke when usin product.	g this product. Always wash hands after handling the
7.2. Conditions for safe s	torage, including any incompatibilities	
Storage conditions		container tightly closed. Store locked up. Keep from
Incompatible materials	freezing. Keep cool. Protect from sun	-
Incompatible materials	: Heat, sparks, open flame. Strong oxid	lizers.
SECTION 8: Exposure c	ontrols/personal protection	
3.1. Control parameters		
Dimethylamine salt of (+)-(F	R)-2-(2-methyl-4-chlorophenoxy) propionic acid (2008-3	9-1)
ACGIH	ACGIH OEL TWA	10 mg/m³ inhalable fraction
OSHA	OSHA PEL TWA	10 mg/m ³
NIOSH	NIOSH REL TWA	IDLH: 10 mg/m3
Appropriate engineering contro	Is : Adequate ventilation systems as need below applicable threshold limit value	ded to control concentrations of airborne contaminants s.
Appropriate engineering contro Environmental exposure contro	Is : Adequate ventilation systems as need below applicable threshold limit value	
Appropriate engineering contro Environmental exposure contro	Image: systems and systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold thres	
Appropriate engineering contro Environmental exposure contro 3.3. Individual protection	Image: systems and systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold thres	
Appropriate engineering contro Environmental exposure contro 3.3. Individual protection Hand protection: Protective gloves	Image: systems and systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold thres	
Appropriate engineering contro Environmental exposure contro 3.3. Individual protection Hand protection: Protective gloves Eye protection:	Image: systems and systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold thres	
Appropriate engineering contro Environmental exposure contro 3.3. Individual protection Hand protection: Protective gloves Eye protection: Safety glasses	Image: systems and systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold thres	
Appropriate engineering control Environmental exposure control 3.3. Individual protection Hand protection: Protective gloves Eye protection: Safety glasses Skin and body protection:	 Adequate ventilation systems as need below applicable threshold limit value below is a Avoid release to the environment. Measures/Personal protective equipment 	S.
Appropriate engineering contro Environmental exposure contro 3.3. Individual protection Hand protection: Protective gloves Eye protection: Safety glasses Skin and body protection: If prolonged exposure is anticip	Image: systems and systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold limit value Image: systems as need below applicable threshold thres	S.
Appropriate engineering control Environmental exposure control 3.3. Individual protection Hand protection: Protective gloves Eye protection: Safety glasses Skin and body protection: If prolonged exposure is anticip Respiratory protection:	ols : Adequate ventilation systems as need below applicable threshold limit value ols : Avoid release to the environment. measures/Personal protective equipment bated, it is recommended for handlers to wear appropriate of the second secon	S.
Appropriate engineering control Environmental exposure control 3.3. Individual protection Hand protection: Protective gloves Eye protection: Safety glasses Skin and body protection: If prolonged exposure is anticip Respiratory protection:	 Adequate ventilation systems as need below applicable threshold limit value below is a Avoid release to the environment. Measures/Personal protective equipment 	S.
Appropriate engineering control Environmental exposure control 3.3. Individual protection Hand protection: Protective gloves Eye protection: Safety glasses Skin and body protection: If prolonged exposure is anticip Respiratory protection:	ols : Adequate ventilation systems as need below applicable threshold limit value ols : Avoid release to the environment. measures/Personal protective equipment bated, it is recommended for handlers to wear appropriate of the second secon	S.
Appropriate engineering control Environmental exposure control 3.3. Individual protection Hand protection: Protective gloves Eye protection: Safety glasses Skin and body protection: If prolonged exposure is anticip Respiratory protection:	ols : Adequate ventilation systems as need below applicable threshold limit value ols : Avoid release to the environment. measures/Personal protective equipment bated, it is recommended for handlers to wear appropriate of the second secon	S.
Appropriate engineering control Environmental exposure control 3.3. Individual protection Hand protection: Protective gloves Eye protection: Safety glasses Skin and body protection: If prolonged exposure is anticip Respiratory protection:	ols : Adequate ventilation systems as need below applicable threshold limit value ols : Avoid release to the environment. measures/Personal protective equipment bated, it is recommended for handlers to wear appropriate of the second secon	S.
Appropriate engineering control Environmental exposure control 3.3. Individual protection Hand protection: Protective gloves Eye protection: Safety glasses Skin and body protection: If prolonged exposure is anticip Respiratory protection: In case of insufficient ventilatio	ols : Adequate ventilation systems as need below applicable threshold limit value ols : Avoid release to the environment. measures/Personal protective equipment bated, it is recommended for handlers to wear appropriate of n, use NIOSH approved respiratory protection.	S.
Appropriate engineering control Environmental exposure control 3.3. Individual protection Hand protection: Protective gloves Eye protection: Safety glasses Skin and body protection: If prolonged exposure is anticip Respiratory protection: In case of insufficient ventilatio	ols : Adequate ventilation systems as need below applicable threshold limit value ols : Avoid release to the environment. measures/Personal protective equipment : measures/Personal protective equipment bated, it is recommended for handlers to wear appropriate of n, use NIOSH approved respiratory protection. : of chemical properties	S.
Appropriate engineering control Environmental exposure control 3.3 Individual protection Hand protection: Protective gloves Eye protection: Safety glasses Skin and body protection: If prolonged exposure is anticip Respiratory protection: In case of insufficient ventilatio Control of the second s	Adequate ventilation systems as need below applicable threshold limit value below applicable threshold limit value bas : Avoid release to the environment. measures/Personal protective equipment bated, it is recommended for handlers to wear appropriate of n, use NIOSH approved respiratory protection. d chemical properties physical and chemical properties	S.
Appropriate engineering control Environmental exposure control 3.3. Individual protection Hand protection: Protective gloves Eye protection: Safety glasses Skin and body protection: If prolonged exposure is anticip Respiratory protection: In case of insufficient ventilatio ECCTION 9: Physical and C. Information on basic Physical state	Adequate ventilation systems as need below applicable threshold limit value ols : Avoid release to the environment. measures/Personal protective equipment bated, it is recommended for handlers to wear appropriate of n, use NIOSH approved respiratory protection. d chemical properties : physical and chemical properties : Liquid	S.
Appropriate engineering control Environmental exposure control 3.3. Individual protection Hand protection: Protective gloves Eye protection: Safety glasses Skin and body protection: If prolonged exposure is anticip Respiratory protection: In case of insufficient ventilatio Export of insufficient ventilation SECTION 9: Physical and Physical state Appearance	ols : Adequate ventilation systems as need below applicable threshold limit value ols : Avoid release to the environment. measures/Personal protective equipment oated, it is recommended for handlers to wear appropriate of n, use NIOSH approved respiratory protection. d chemical properties : physical and chemical properties : Liquid : Brown liquid suspension	S.
Appropriate engineering control Environmental exposure control 8.3. Individual protection Hand protection: Protective gloves Eye protection: Safety glasses Skin and body protection: If prolonged exposure is anticip Respiratory protection: In case of insufficient ventilatio Export of insufficient ventilation SECTION 9: Physical and 9.1. Information on basic Physical state Appearance Color	ols : Adequate ventilation systems as need below applicable threshold limit value of the environment. ols : Avoid release to the environment. measures/Personal protective equipment oated, it is recommended for handlers to wear appropriate of n, use NIOSH approved respiratory protection. out of the environment	S.
Appropriate engineering control Environmental exposure control 8.3. Individual protection Hand protection: Protective gloves Eye protection: Safety glasses Skin and body protection: If prolonged exposure is anticip Respiratory protection: In case of insufficient ventilatio Export of insufficient ventilation SECTION 9: Physical and 9.1. Information on basic Physical state Appearance	ols : Adequate ventilation systems as need below applicable threshold limit value ols : Avoid release to the environment. measures/Personal protective equipment oated, it is recommended for handlers to wear appropriate of n, use NIOSH approved respiratory protection. d chemical properties : physical and chemical properties : Liquid : Brown liquid suspension	S.

Image Herbicides Weed Killer For Southern Lawns Ready-To-Spray

Safety Data Sheet

•		
Melting point	:	Not applicable
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	> 100 °C (212 °F)
Relative evaporation rate (butyl acetate=1)	:	No data available
Flammability	:	Not applicable
Vapor pressure	:	No data available
Relative vapor density at 20°C	:	No data available
Relative density	:	1.0211 @ 20.0 °C (68.0 °F)
Density	:	8.55 lbs/gal
Solubility	:	Miscible with water
Partition coefficient n-octanol/water (Log Pow)	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	302.3 ± 76.8 cP@ 22.0 °C (71.6 °F), 188.1 ± 37.9 cP @ 45.2 °C (113.4 °F)
Explosion limits	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	Not applicable

9.2. Other information

9.2.	Other information
No add	itional information available
SECT	ION 10: Stability and reactivity
10.1.	Reactivity
Non-rea	active under normal handling and storage conditions.
10.2.	Chemical stability
Stable	under normal conditions.
10.3.	Possibility of hazardous reactions
No dan	gerous reactions known under normal conditions of use. Hazardous polymerization will not occur.
10.4.	Conditions to avoid

Avoid excessive heat and freezing conditions. Protect from sunlight.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Image Herbicides Weed Killer For Southern Lawns Ready-To-Spray		
LD50 oral rat	> 5000 female	
LD50 dermal rabbit	> 5000	
LC50 Inhalation - Rat [ppm]	> 2.04	

GHS-US Properties	Classification	
Acute toxicity (oral)	Not classified	
Acute toxicity (dermal)	Not classified	
Acute toxicity (inhalation)	Harmful if inhaled.	
Skin corrosion/irritation	Not classified	
Serious eye damage/irritation	Causes serious eye irritation.	
Respiratory or skin sensitization	May cause an allergic skin reaction.	
Germ cell mutagenicity	Not classified	
Carcinogenicity	Not classified	
Reproductive toxicity	Not classified	

Image Herbicides Weed Killer For Southern Lawns Ready-To-Spray

Safety Data Sheet

Specific target organ toxicity (single exposure)	Not classified
Specific target organ toxicity (repeated exposure)	Not classified
Aspiration hazard	Not classified

Potential health effects

Inhalation	
Acute	: Harmful if inhaled.
Skin	
Acute	: May cause an allergic skin reaction in those with a sensitivity to 2,4-dichlorophenoxy acetic acid.
Eye	
Acute	: Causes serious eye irritation.
Ingestion	
Acute	: Under normal conditions of use, no health effects are expected.
Mutagenicity	: Not classified.
Carcinogenicity	: Not classified.
Reproductive Effects	: Not classified.

SECTION 12: Ecological information 12.1. Toxicity No data available 12.2. Persistence and degradability No data available **Bioaccumulative potential** 12.3. No data available Mobility in soil 12.4. No data available 12.5. Other adverse effects Image Herbicides Weed Killer For Southern Lawns Ready-To-Spray Ecological Fate This product is toxic to fish and aquatic invertebrates.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

SECTION 14: Transport information					
	UN number	Proper Shipping Name	Transport hazard class(es)	Packing group	Environmental hazards
DOT	Not regulated	Not regulated	Not regulated	Not regulated	RQ: Dimethylamine salt of 2,4-dichlorophenoxyacetic acid = 100 lbs.
IMDG	Not regulated	Not regulated	Not regulated	Not regulated	Not applicable
ΙΑΤΑ	Not regulated	Not regulated	Not regulated	Not regulated	Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Dimethylamine salt of (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid (2008-39-1)		
CERCLA RQ	100 lb	
Dimethylamine salt of dicamba (3,6-dichloro-o-anisic acid) (2300-66-5)		
Subject to reporting requirements of United States SARA Section 313		
SARA Section 313 - Emission Reporting	1 %	

Image Herbicides Weed Killer For Southern Lawns Ready-To-Spray

Safety Data Sheet

EPA Labelling		
EPA Registration Number	2217-1010-90098	
This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.		
FIFRA Hazard statements	Caution	
FIFRA Precautionary statements	KEEP OUT OF REACH OF CHILDREN.	
FIFRA Hazards to Humans and Domestic Animals	Causes moderate eye irritation. Harmful if absorbed through skin or if swallowed. When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves. Wash thoroughly with soap and water after handling. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.	
FIFRA First aid	If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything to an unconscious person. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.	
FIFRA Environmental hazards	This product is toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift or runoff may be hazardous to aquatic organisms in water and to plants adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. Non-Target Organism Advisory Statement: This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms by following label directions intended to minimize spray drift. Groundwater Advisory Statement: This chemical has properties and characteristics associated with chemicals detected in groundwater. This chemical has properties and characteristics associated with chemicals detected in groundwater. This product may impact sufface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water. This product is classified as having high potential for reaching surface water features such as ponds, streams, and springs will reduce the potential loading of penoxsulam from runoff water and sediment. Runoff of this product will be reduced by avoiding applications when rainfall or irrigation is expected to occur within 48 hours.	

15.2. US State regulations

No additional information available

SECTION 16: Other infor		
Issue date	: 14 April 2017	
Revision date	: 25 March 2024	
Supersedes	: 09 December 2020	

Indication of changes:

Revised Sec. 1: Revised material number(s). Revised Sec. 1: Material name change. Revised Sec. 15: EPA label language.

SDS US (GHS HazCom 2012) - CGP

The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.